








# SET THEORY

## A SET

### Definition Set

A **set** is a collection of objects, called elements.  
We list its elements between curly brackets.

**Ex:** List all possible results when rolling a standard die .

**Answer:**  $E = \{1, 2, 3, 4, 5, 6\} = \{$         $\}$ .

### Definition Element

- An **element** is an object contained in a set.
- $\in$  means "is an element of" or "belongs to".
- $\notin$  means "is not an element of" or "does not belong to".

**Ex:**  $2 \in \{1, 2, 3, 4, 5, 6\}$  and  $7 \notin \{1, 2, 3, 4, 5, 6\}$ .

### Definition Equal sets

Two sets are **equal** if they have exactly the same elements.

**Ex:** Determine if the sets  $\{2, 6, 4\}$  and  $\{2, 4, 6\}$  are equal.

**Answer:** Yes, the sets  $\{2, 6, 4\}$  and  $\{2, 4, 6\}$  are equal because they contain the same elements: 2, 4, and 6.

**Ex:** Determine if the sets  $\{1, 2, 3\}$  and  $\{1, 2, 4\}$  are equal.

**Answer:** No, the sets  $\{1, 2, 3\}$  and  $\{1, 2, 4\}$  are not equal because element 3 belongs to  $\{1, 2, 3\}$  but not to  $\{1, 2, 4\}$ .

### Definition Empty Set

The **empty set** is a set with no elements. It is written as  $\{\}$  or  $\emptyset$ .

## B ORDERED PAIR

### Definition Ordered Pair

An **ordered pair**, denoted  $(a, b)$  or  $ab$ , is a pair of objects in which their order is significant. The ordered pair  $(a, b)$  is different from the ordered pair  $(b, a)$  unless  $a = b$ .

**Ex:** In a sprint relay race, two runners are paired up. Let  $L$  be Louis and  $H$  be Hugo. The ordered pair  $(L, H)$  means Louis runs first, then passes the baton to Hugo. The ordered pair  $(H, L)$  means Hugo runs first, then passes to Louis. These are different races.

## C SUBSETS

### Definition Subset

A set  $A$  is a **subset** of a set  $B$  if every element in  $A$  is also in  $B$ . We write this as  $A \subseteq B$ .

**Ex:** Is  $A \subseteq B$  when  $A = \{2, 4, 6\}$  and  $B = \{1, 2, 3, 4, 5, 6\}$ ?

**Answer:** Check each element: 2, 4, and 6 from  $A$  are all in  $B = \{1, 2, 3, 4, 5, 6\}$ . Since every element of  $A$  is in  $B$ ,  $A \subseteq B$ .

## D INTERSECTION AND UNION

### Definition Intersection

The **intersection** of two sets  $A$  and  $B$ , written  $A \cap B$ , is the set of elements that are in both  $A$  and  $B$ .

**Ex:** What is the intersection  $\{1, 2, 3\} \cap \{2, 3, 4\}$ ?

*Answer:* For the intersection  $\cap$ , include all common element: 2 3. Done

$$\{1, 2, 3\} \cap \{2, 3, 4\} = \{2, 3\}$$

### Definition Union

The **union** of two sets  $A$  and  $B$ , written  $A \cup B$ , is the set of all elements in  $A$  or  $B$  (or both).

**Ex:** What is the union  $\{1, 2, 3\} \cup \{2, 3, 4\}$ ?

*Answer:* For the union  $\cup$ , include all elements from both sets without repeats: 1, 2, 3, 4. So,

$$\{1, 2, 3\} \cup \{2, 3, 4\} = \{1, 2, 3, 4\}$$

## E CARDINALITY

### Definition Cardinality

$n(A)$  denotes the number of elements in the set  $A$ .

**Ex:**  $n(\{1, 2, 3, 4, 5, 6\}) = 6$ .

## F COMPLEMENT

### Definition Universal set

A **universal set** is the set of all elements considered.

### Definition Complement

The **complement** of a set  $A$ , denoted  $A'$ , consists of all elements in  $U$  that are not in  $A$ . Sets  $A$  and  $A'$  are said to be **complementary**.

**Ex:** Given the universe  $U = \{1, 2, 3, 4, 5, 6\}$  and the set  $A = \{1, 3, 5\}$ , find the complement  $A'$ .

*Answer:* Start with the universe  $U = \{1, 2, 3, 4, 5, 6\}$ .

The set  $A = \{1, 3, 5\}$  includes 1, 3, and 5.

The complement  $A'$  is all the elements in  $U$  that are not in  $A$ :


$$A' = \{2, 4, 6\}$$

## G VENN DIAGRAMS

### Definition Venn Diagram







A **Venn diagram** uses a rectangle to show the universal set  $U$  and circles to represent other sets within it.

**Ex:** Here's a Venn diagram for  $U = \{1, 2, 3, 4, 5, 6\}$  and  $A = \{1, 3, 5\}$ :



### Definition Key Venn Diagram Concepts

This table shows common set operations and their Venn diagrams:


Notation	Meaning	Venn Diagram
$A$	Set $A$	
$A'$	Complement of $A$ (everything in $U$ not in $A$ )	
$A \subseteq B$	$A$ is a subset of $B$	
$A \cup B$	Union of $A$ and $B$ (all elements in $A$ or $B$ )	
$A \cap B$	Intersection of $A$ and $B$ (elements in both)	
$A \cap B = \{\}$	$A$ and $B$ are disjoint (no common elements)	

Venn diagrams help solve problems by showing the number of elements in each region.

### Definition Counting Elements

In a Venn diagram, we use brackets around numbers to show how many elements are in each region.

**Ex:** Consider this Venn diagram:



Here, there are 6 elements in both  $A$  and  $B$ , 4 in  $A$  but not  $B$ , 5 in  $B$  but not  $A$ , and 1 outside both. Total elements:  $A$  has  $4 + 6 = 10$ ,  $B$  has  $6 + 5 = 11$ .