


SIMILAR TRIANGLES

A ANGLE-ANGLE SIMILARITY

A.1 CHOOSING MATHEMATICAL ARGUMENTATION


MCQ 1: Choose the correct mathematical argumentation for why the figures F and F' are similar.



- ☐ The triangles look the same.
- ☒ Both figures are right triangles with a common marked angle, so the triangles F and F' are similar.
- ☐ Both figures are right triangles, so the triangles F and F' are similar.
- ☐ Both triangles have the same marked angle, so the triangles F and F' are similar.

Answer: The correct argumentation is that both figures are right triangles (each has a right angle at C and C') and both triangles have the same marked angle ($\angle ABC = \angle A'B'C'$). By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.


MCQ 2: Choose the correct mathematical argumentation for why the figures F and F' are similar.



- ☐ The triangles look the same.
- ☐ Both figures are right triangles with a common marked angle, so the triangles F and F' are similar.
- ☐ Both triangles have the same marked angle, so the triangles F and F' are similar.
- ☒ Both triangles have two marked angles in common, so the triangles F and F' are similar.


Answer: The correct argumentation is that both triangles have two marked angles in common ($\angle ABC = \angle A'B'C'$ and $\angle BAC = \angle B'A'C'$). By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.

MCQ 3: Choose the correct mathematical argumentation for why the figures F and F' are similar.




- ☐ The triangles look the same.
- ☒ Both triangles have a common marked angle and a pair of vertically opposite angles, so the triangles F and F' are similar.
- ☐ Both triangles have the same marked angle, so the triangles F and F' are similar.
- ☐ Both figures have a pair of vertically opposite angles, so the triangles F and F' are similar.

Answer: The correct argumentation is that both triangles have a common marked angle ($\angle CBA = \angle AED$) and a pair of vertically opposite angles ($\angle BAC = \angle EAD$ at vertex A), which are equal. By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.




MCQ 4: Choose the correct mathematical argumentation for why the figures F and F' are similar.




- ☐ The triangles look the same.
- ☐ Both triangles have a common marked angle and a pair of vertically opposite angles, so the triangles F and F' are similar.
- ☒ Since the lines are parallel, the corresponding angles in the two triangles are equal. So, the triangles F and F' are similar.
- ☐ Both figures have a pair of vertically opposite angles, so the triangles F and F' are similar.

Answer: The correct argumentation is "Since the lines are parallel, the corresponding angles in the two triangles are equal ($\angle ABC = \angle ADE$, $\angle BCA = \angle AED$). So, the triangles F and F' are similar." . By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.




Answer: Both triangles have a common marked angle ($\angle CBA = \angle AED$) and a pair of vertically opposite angles ($\angle BAC = \angle EAD$ at vertex A), which are equal. By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.




A.2 WRITING MATHEMATICAL ARGUMENTATION

Ex 5: Justify with mathematical argumentation why the figures F and F' are similar.




Answer: Both figures are right triangles (each has a right angle at C and C') and both triangles have the same marked angle ($\angle ABC = \angle A'B'C'$). By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.

Ex 6: Justify with mathematical argumentation why the figures F and F' are similar.




Answer: Both triangles have two marked angles in common ($\angle ABC = \angle A'B'C'$ and $\angle BAC = \angle B'A'C'$). By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.


Ex 7: Justify with mathematical argumentation why the figures F and F' are similar.



Ex 8: Justify with mathematical argumentation why the figures F and F' are similar.




Answer: Since line \overleftrightarrow{BC} is parallel to line \overleftrightarrow{ED} , the corresponding angles are equal ($\angle ABC = \angle ADE$, $\angle BCA = \angle AED$). By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.



A.3 FINDING UNKNOWN LENGTHS IN SIMILAR TRIANGLES



Ex 9:



Find x

$$x = 8.8$$

Answer:

- Both figures are right triangles (each has a right angle).





- Both triangles have the same marked angle.

So the triangles F and F' are similar.

- The ratios of the corresponding sides are equal:

$$\begin{aligned}\frac{x}{5.5} &= \frac{4.8}{3} \\ \therefore x \times 3 &= 5.5 \times 4.8 \quad (\text{cross multiplication}) \\ \therefore x &= \frac{5.5 \times 4.8}{3} \\ \therefore x &= 8.8\end{aligned}$$

Ex 10: 



Find x .

$$x = \boxed{3.75}$$


Answer:


- They share vertically opposite angles, which are equal.
 - They have a common marked angle.

By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.

- The ratios of corresponding sides are equal:

$$\begin{aligned}\frac{x}{2.5} &= \frac{4.5}{3} \\ x \times 3 &= 2.5 \times 4.5 \quad (\text{cross multiplication}) \\ x &= \frac{2.5 \times 4.5}{3} \\ x &= \frac{11.25}{3} \\ x &= 3.75\end{aligned}$$

Ex 11: 



Find x .


$$x = \boxed{3.9}$$


Answer:

- Since the lines are parallel, the corresponding angles in the two triangles are equal. So, the triangles F and F' are similar.

- The ratios of corresponding sides are equal:

$$\begin{aligned}\frac{x}{1.3} &= \frac{4.5}{1.5} \\ x \times 1.5 &= 1.3 \times 4.5 \quad (\text{cross multiplication}) \\ x &= \frac{1.3 \times 4.5}{1.5} \\ x &= \frac{5.85}{1.5} \\ x &= 3.9\end{aligned}$$

Ex 12: 



Find x .

$$x = \boxed{2}$$

Answer:

- They have right angles.
 - They have a common marked angle.


By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.


- The ratios of corresponding sides are equal:

$$\begin{aligned}\frac{3}{x} &= \frac{9}{6} \\ x \times 9 &= 3 \times 6 \quad (\text{cross multiplication}) \\ x &= \frac{3 \times 6}{9} \quad (\text{dividing by 9}) \\ x &= \frac{18}{9} \\ x &= 2\end{aligned}$$

B THALES'S THEOREM

B.1 APPLYING THALES'S THEOREM WITHOUT JUSTIFICATION

Ex 13:  The lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and the lines \overleftrightarrow{GE} and \overleftrightarrow{HI} are parallel. Given $FG = 3$ cm, $FH = 5$ cm, $FI = 7$ cm, and $HI = 9$ cm:



Calculate the lengths FE and EG .

$$FE = \boxed{4.2} \text{ cm and } EG = \boxed{1.5} \text{ cm.}$$

Answer:

1. Since the lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and $\overleftrightarrow{GE} \parallel \overleftrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
2. The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG}$$

$$\frac{5}{3.5} = \frac{FI}{FE} = \frac{7.5}{EG}$$

- For FE :

$$\frac{7}{FE} = \frac{5}{3}$$

$$FE \times 5 = 7 \times 3 \quad (\text{cross multiplication})$$

$$FE = \frac{7 \times 3}{5}$$

$$FE = 4.2 \text{ cm}$$


- For EG :


$$\frac{9}{EG} = \frac{5}{3}$$

$$EG \times 5 = 9 \times 3 \quad (\text{cross multiplication})$$

$$EG = \frac{9 \times 3}{5}$$

$$EG = 5.4 \text{ cm}$$

Ex 14:  The lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and the lines \overleftrightarrow{GE} and \overleftrightarrow{HI} are parallel. Given $FG = 3.5$ cm, $FE = 4.2$ cm, $EG = 1.5$ cm, and $HI = 7.5$ cm:



Calculate the lengths FI and FH .

$$FI = \boxed{21} \text{ cm and } FH = \boxed{17.5} \text{ cm.}$$

Answer:

1. Since the lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and $\overleftrightarrow{GE} \parallel \overleftrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
2. The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG}$$

$$\frac{FH}{3.5} = \frac{FI}{4.2} = \frac{7.5}{1.5}$$

- For FI :

$$\frac{FI}{4.2} = \frac{7.5}{1.5}$$

$$FI = 4.2 \times \frac{7.5}{1.5}$$


$$FI = 21 \text{ cm}$$


- For FH :

$$\frac{FH}{3.5} = \frac{7.5}{1.5}$$

$$FH = 3.5 \times \frac{7.5}{1.5}$$

$$FH = 17.5 \text{ cm}$$

Ex 15:  A folding stool is modeled geometrically with segments \overline{CB} and \overline{AD} for the metal frame and segment \overline{CD} for the fabric seat. Given $CG = DG = 30$ cm, $AG = BG = 45$ cm, and $AB = 51$ cm, and knowing that the seat \overleftrightarrow{CD} is parallel to the ground represented by \overleftrightarrow{AB} :



Determine the length of the seat CD .

$$CD = \boxed{34} \text{ cm}$$

Answer:

1. Since the lines \overleftrightarrow{AD} and \overleftrightarrow{BC} intersect at G , and $\overleftrightarrow{AB} \parallel \overleftrightarrow{CD}$, by Thales's theorem, triangles $\triangle GAB$ and $\triangle GCD$ are similar.
2. The ratios of corresponding sides are equal:


$$\frac{GD}{GA} = \frac{GC}{GB} = \frac{CD}{AB}$$


$$\frac{30}{45} = \frac{30}{45} = \frac{CD}{51}$$

$$CD = \frac{51 \times 30}{45}$$

$$CD = 34 \text{ cm}$$

The length of the seat is 34 cm.

Ex 16:  The lines \overleftrightarrow{JK} and \overleftrightarrow{LM} intersect at N , and the lines \overleftrightarrow{JL} and \overleftrightarrow{KM} are parallel. Given $JN = 3$ cm, $NK = 5$ cm, $LM = 7$ cm, and $KM = 9$ cm:



Calculate the lengths NL and LJ .

$$NL = \boxed{4.2} \text{ cm and } LJ = \boxed{5.4} \text{ cm.}$$

Answer:

- Since the lines \overleftrightarrow{JK} and \overleftrightarrow{LM} intersect at N , and $\overleftrightarrow{JL} \parallel \overleftrightarrow{KM}$, by Thales's theorem, triangles $\triangle NLJ$ and $\triangle NKM$ are similar.

- The ratios of corresponding sides are equal:

$$\frac{NK}{NJ} = \frac{NM}{NL} = \frac{KM}{LJ}$$

$$\frac{5}{3} = \frac{7}{NL} = \frac{9}{LJ}$$

- For NL :

$$\frac{7}{NL} = \frac{5}{3}$$

$$NL \times 5 = 7 \times 3 \quad (\text{cross multiplication})$$

$$NL = \frac{7 \times 3}{5}$$

$$NL = 4.2 \text{ cm}$$

- For LJ :

$$\frac{9}{LJ} = \frac{5}{3}$$


$$LJ \times 5 = 9 \times 3 \quad (\text{cross multiplication})$$

$$LJ = \frac{9 \times 3}{5}$$

$$LJ = 5.4 \text{ cm}$$

B.2 APPLYING THALES'S THEOREM

Ex 17: The lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and the lines \overleftrightarrow{GE} and \overleftrightarrow{HI} are parallel. Given $FG = 3 \text{ cm}$, $FH = 5 \text{ cm}$, $FI = 7 \text{ cm}$, and $HI = 9 \text{ cm}$:



Calculate the lengths FE and EG . Justify.

Answer:

- Since the lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and $\overleftrightarrow{GE} \parallel \overleftrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
- The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG}$$

$$\frac{5}{3} = \frac{7}{FE} = \frac{9}{EG}$$

- For FE :

$$\frac{7}{FE} = \frac{5}{3}$$

$$FE \times 5 = 7 \times 3 \quad (\text{cross multiplication})$$

$$FE = \frac{7 \times 3}{5}$$

$$FE = 4.2 \text{ cm}$$

- For EG :


$$\frac{9}{EG} = \frac{5}{3}$$

$$EG \times 5 = 9 \times 3 \quad (\text{cross multiplication})$$

$$EG = \frac{9 \times 3}{5}$$

$$EG = 5.4 \text{ cm}$$

Ex 18: The lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and the lines \overleftrightarrow{GE} and \overleftrightarrow{HI} are parallel. Given $FG = 3.5 \text{ cm}$, $FE = 4.2 \text{ cm}$, $EG = 1.5 \text{ cm}$, and $HI = 7.5 \text{ cm}$:



Calculate the lengths FI and FH . Justify.

Answer:

- Since the lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F , and $\overleftrightarrow{GE} \parallel \overleftrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
- The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG}$$

$$\frac{FH}{3.5} = \frac{FI}{4.2} = \frac{7.5}{1.5}$$

- For FI :

$$\frac{FI}{4.2} = \frac{7.5}{1.5}$$

$$FI = 4.2 \times \frac{7.5}{1.5}$$


$$FI = 21 \text{ cm}$$


- For FH :


$$\frac{FH}{3.5} = \frac{7.5}{1.5}$$

$$FH = 3.5 \times \frac{7.5}{1.5}$$

$$FH = 17.5 \text{ cm}$$



Ex 19:  The lines \overleftrightarrow{JK} and \overleftrightarrow{LM} intersect at N , and the lines \overleftrightarrow{JL} and \overleftrightarrow{KM} are parallel. Given $JN = 3$ cm, $NK = 5$ cm, $LM = 7$ cm, and $KM = 9$ cm:



Calculate the length of the seat CD . Justify.

Answer:

1. Since the lines \overleftrightarrow{AD} and \overleftrightarrow{BC} intersect at G , and $\overleftrightarrow{AB} \parallel \overleftrightarrow{CD}$, by Thales's theorem, triangles $\triangle GAB$ and $\triangle GCD$ are similar.
2. The ratios of corresponding sides are equal:

$$\frac{GD}{GA} = \frac{GC}{GB} = \frac{CD}{AB}$$

$$\frac{30}{45} = \frac{30}{45} = \frac{CD}{51}$$

$$CD = \frac{51 \times 30}{45}$$

$$CD = 34 \text{ cm}$$

The length of the seat is 34 cm.

Calculate the lengths NL and LJ . Justify.

Answer:

1. Since the lines \overleftrightarrow{JK} and \overleftrightarrow{LM} intersect at N , and $\overleftrightarrow{JL} \parallel \overleftrightarrow{KM}$, by Thales's theorem, triangles $\triangle NJL$ and $\triangle NKM$ are similar.
2. The ratios of corresponding sides are equal:

$$\frac{NK}{NJ} = \frac{NM}{NL} = \frac{KM}{LJ}$$

$$\frac{5}{3} = \frac{7}{NL} = \frac{9}{LJ}$$

- For NL :

$$\frac{7}{NL} = \frac{5}{3}$$

$$NL \times 5 = 7 \times 3 \quad (\text{cross multiplication})$$

$$NL = \frac{7 \times 3}{5}$$

$$NL = 4.2 \text{ cm}$$


- For LJ :

$$\frac{9}{LJ} = \frac{5}{3}$$

$$LJ \times 5 = 9 \times 3 \quad (\text{cross multiplication})$$

$$LJ = \frac{9 \times 3}{5}$$

$$LJ = 5.4 \text{ cm}$$

Ex 20:  A folding stool is modeled geometrically with segments \overline{CB} and \overline{AD} for the metal frame and segment \overline{CD} for the fabric seat. Given $CG = DG = 30$ cm, $AG = BG = 45$ cm, and $AB = 51$ cm, and knowing that the seat \overleftrightarrow{CD} is parallel to the ground represented by \overleftrightarrow{AB} :