
SIMILAR TRIANGLES

A ANGLE-ANGLE SIMILARITY

A.1 CHOOSING MATHEMATICAL ARGUMENTATION


MCQ 1: Choose the correct mathematical argumentation for why the figures F and F' are similar.



- \square The triangles look the same.
- \boxtimes Both figures are right triangles with a common marked angle, so the triangles F and F' are similar.
- \square Both figures are right triangles, so the triangles F and F' are similar.
- \square Both triangles have the same marked angle, so the triangles F and F' are similar.

Answer: The correct argumentation is that both figures are right triangles (each has a right angle at C and C') and both triangles have the same marked angle ($\angle ABC = \angle A'B'C'$). By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.


MCQ 2: Choose the correct mathematical argumentation for why the figures F and F' are similar.



- \square The triangles look the same.
- \square Both figures are right triangles with a common marked angle, so the triangles F and F' are similar.
- \square Both triangles have the same marked angle, so the triangles F and F' are similar.
- \boxtimes Both triangles have two marked angles in common, so the triangles F and F' are similar.


Answer: The correct argumentation is that both triangles have two marked angles in common ($\angle ABC = \angle A'B'C'$ and $\angle BAC = \angle B'A'C'$). By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.

MCQ 3: Choose the correct mathematical argumentation for why the figures F and F' are similar.




- \square The triangles look the same.
- \boxtimes Both triangles have a common marked angle and a pair of vertically opposite angles, so the triangles F and F' are similar.
- \square Both triangles have the same marked angle, so the triangles F and F' are similar.
- \square Both figures have a pair of vertically opposite angles, so the triangles F and F' are similar.

Answer: The correct argumentation is that both triangles have a common marked angle ($\angle CBA = \angle AED$) and a pair of vertically opposite angles ($\angle BAC = \angle EAD$ at vertex A), which are equal. By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.




MCQ 4: Choose the correct mathematical argumentation for why the figures F and F' are similar.




- \square The triangles look the same.
- \square Both triangles have a common marked angle and a pair of vertically opposite angles, so the triangles F and F' are similar.
- \boxtimes Since the lines are parallel, the corresponding angles in the two triangles are equal. So, the triangles F and F' are similar.
- \square Both figures have a pair of vertically opposite angles, so the triangles F and F' are similar.

Answer: The correct argumentation is "Since the lines are parallel, the corresponding angles in the two triangles are equal ($\angle ABC =$ $\angle ADE$, $\angle BCA = \angle AED$). So, the triangles F and F'are similar." . By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.




A.2 WRITING MATHEMATICAL ARGUMENTATION

Ex 5: Justify with mathematical argumentation why the figures F and F' are similar.




Answer: Both figures are right triangles (each has a right angle at C and C') and both triangles have the same marked angle $(\angle ABC = \angle A'B'C')$. By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.

Ex 6: Justify with mathematical argumentation why the figures F and F' are similar.




Answer: Both triangles have two marked angles in common $(\angle ABC = \angle A'B'C')$ and $\angle BAC = \angle B'A'C')$. By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.


Ex 7: Justify with mathematical argumentation why the figures F and F' are similar.




Answer: Both triangles have a common marked angle ($\angle CBA =$ $\angle AED$) and a pair of vertically opposite angles ($\angle BAC =$ $\angle EAD$ at vertex A), which are equal. By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.



Ex 8: Justify with mathematical argumentation why the figures F and F' are similar.




Answer: Since line \overrightarrow{BC} is parallel to line \overrightarrow{ED} , the corresponding angles are equal $(\angle ABC = \angle ADE, \angle BCA = \angle AED)$. By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.



A.3 FINDING UNKNOWN LENGTHS IN SIMILAR **TRIANGLES**







Find x



Answer:

• Both figures are right triangles (each has a right angle).

ullet Both triangles have the same marked angle. So the triangles F and F' are similar.

2. The ratios of the corresponding sides are equal:


$$\frac{x}{5.5} = \frac{4.8}{3}$$

$$\therefore x \times 3 = 5.5 \times 4.8 \quad \text{(cross multiplication)}$$

$$\therefore x = \frac{5.5 \times 4.8}{3}$$

$$\therefore x = 8.8$$





Find x.

$$x = 3.75$$

Answer:

- 1. They share vertically opposite angles, which are equal.
 - They have a common marked angle.

By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.

2. The ratios of corresponding sides are equal:

$$\frac{x}{2.5} = \frac{4.5}{3}$$


$$x \times 3 = 2.5 \times 4.5 \quad \text{(cross multiplication)}$$

$$x = \frac{2.5 \times 4.5}{3}$$

$$x = \frac{11.25}{3}$$

$$x = 3.75$$





Find x.

$$x = 3.9$$

Answer:

- 1. Since the lines are parallel, the corresponding angles in the two triangles are equal. So, the triangles F and F' are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{x}{1.3} = \frac{4.5}{1.5}$$


$$x \times 1.5 = 1.3 \times 4.5 \quad \text{(cross multiplication)}$$

$$x = \frac{1.3 \times 4.5}{1.5}$$

$$x = \frac{5.85}{1.5}$$

$$x = 3.9$$

Ex 12:



Find x.

$$x = \boxed{2}$$

Answer:

- 1. They have right angles.
 - They have a common marked angle.

By the Angle-Angle (AA) similarity criterion, triangles F and F' are similar.

2. The ratios of corresponding sides are equal:

$$\frac{3}{x} = \frac{9}{6}$$

$$x \times 9 = 3 \times 6 \quad \text{(cross multiplication)}$$


$$x = \frac{3 \times 6}{9} \quad \text{(dividing by 9)}$$

$$x = \frac{18}{9}$$

B THALES'S THEOREM

B.1 APPLYING THALES'S THEOREM WITHOUT JUSTIFICATION

Ex 13: The lines \overrightarrow{GH} and \overrightarrow{EI} intersect at F, and the lines \overrightarrow{GE} and \overrightarrow{HI} are parallel. Given FG = 3 cm, FH = 5 cm, FI = 7 cm, and HI = 9 cm:



Calculate the lengths FE and EG.

$$FE = \boxed{4.2}$$
 cm and $EG = \boxed{5.4}$ cm.

Answer:

- 1. Since the lines \overrightarrow{GH} and \overrightarrow{EI} intersect at F, and $\overrightarrow{GE} \parallel \overrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG}$$
$$\frac{5}{3} = \frac{7}{FE} = \frac{9}{EG}$$

• For *FE*:

$$\frac{7}{FE} = \frac{5}{3}$$

$$FE \times 5 = 7 \times 3 \quad \text{(cross multiplication)}$$

$$FE = \frac{7 \times 3}{5}$$

$$FE = 4.2 \text{ cm}$$

• For EG:


$$\frac{9}{EG} = \frac{5}{3}$$

$$EG \times 5 = 9 \times 3 \quad \text{(cross multiplication)}$$

$$EG = \frac{9 \times 3}{5}$$

$$EG = 5.4 \text{ cm}$$

Ex 14: The lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F, and the lines \overleftrightarrow{GE} and \overleftrightarrow{HI} are parallel. Given FG=3.5 cm, FE=4.2 cm, EG=1.5 cm, and HI=7.5 cm:



Calculate the lengths FI and FH.

$$FI = \boxed{21}$$
 cm and $FH = \boxed{17.5}$ cm.

Answer:

- 1. Since the lines \overrightarrow{GH} and \overrightarrow{EI} intersect at F, and $\overrightarrow{GE} \parallel \overrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG} \\ \frac{FH}{3.5} = \frac{FI}{4.2} = \frac{7.5}{1.5}$$

• For FI:

$$\begin{split} \frac{FI}{4.2} &= \frac{7.5}{1.5} \\ FI &= 4.2 \times \frac{7.5}{1.5} \\ FI &= 21 \, \mathrm{cm} \end{split}$$


• For FH:

$$\frac{FH}{3.5} = \frac{7.5}{1.5}$$

$$FH = 3.5 \times \frac{7.5}{1.5}$$

$$FH = 17.5 \text{ cm}$$

Ex 15: A folding stool is modeled geometrically with segments \overline{CB} and \overline{AD} for the metal frame and segment \overline{CD} for the fabric seat. Given CG = DG = 30 cm, AG = BG = 45 cm, and AB = 51 cm, and knowing that the seat \overline{CD} is parallel to the ground represented by \overline{AB} :



Determine the length of the seat CD.

$$CD = \boxed{34}$$
 cm


Answer:

- 1. Since the lines \overrightarrow{AD} and \overrightarrow{BC} intersect at G, and $\overrightarrow{AB} \parallel \overrightarrow{CD}$, by Thales's theorem, triangles $\triangle GAB$ and $\triangle GCD$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{GD}{GA} = \frac{GC}{GB} = \frac{CD}{AB}$$
$$\frac{30}{45} = \frac{30}{45} = \frac{CD}{51}$$
$$CD = \frac{51 \times 30}{45}$$
$$CD = 34 \text{ cm}$$

The length of the seat is 34 cm.

Ex 16: The lines \overrightarrow{JK} and \overrightarrow{LM} intersect at N, and the lines \overrightarrow{JL} and \overrightarrow{KM} are parallel. Given JN=3 cm, NK=5 cm, LM=7 cm, and KM=9 cm:



Calculate the lengths NL and LJ.

$$NL = \boxed{4.2}$$
 cm and $LJ = \boxed{5.4}$ cm.

Answer:

- 1. Since the lines \overrightarrow{JK} and \overrightarrow{LM} intersect at N, and $\overrightarrow{JL} \parallel \overrightarrow{KM}$, by Thales's theorem, triangles $\triangle NJL$ and $\triangle NKM$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{NK}{NJ} = \frac{NM}{NL} = \frac{KM}{LJ}$$
$$\frac{5}{3} = \frac{7}{NL} = \frac{9}{LJ}$$

• For NL:

$$\frac{7}{NL} = \frac{5}{3}$$

$$NL \times 5 = 7 \times 3 \qquad \text{(cross multiplication)}$$

$$NL = \frac{7 \times 3}{5}$$

$$NL = 4.2 \text{ cm}$$

• For *LJ*:

$$\frac{9}{LJ} = \frac{5}{3}$$


$$LJ \times 5 = 9 \times 3 \quad \text{(cross multiplication)}$$

$$LJ = \frac{9 \times 3}{5}$$

$$LJ = 5.4 \text{ cm}$$

B.2 APPLYING THALES'S THEOREM

Ex 17: The lines \overrightarrow{GH} and \overrightarrow{EI} intersect at F, and the lines \overrightarrow{GE} and \overrightarrow{HI} are parallel. Given FG = 3 cm, FH = 5 cm, FI = 7 cm, and HI = 9 cm:



Calculate the lengths FE and EG. Justify.

Answer:

- 1. Since the lines \overrightarrow{GH} and \overrightarrow{EI} intersect at F, and $\overrightarrow{GE} \parallel \overrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG}$$
$$\frac{5}{3} = \frac{7}{FE} = \frac{9}{EG}$$

• For FE:

$$\frac{7}{FE} = \frac{5}{3}$$

$$FE \times 5 = 7 \times 3 \qquad \text{(cross multiplication)}$$

$$FE = \frac{7 \times 3}{5}$$

$$FE = 4.2 \, \text{cm}$$

• For EG:


$$\frac{9}{EG} = \frac{5}{3}$$

$$EG \times 5 = 9 \times 3 \quad \text{(cross multiplication)}$$

$$EG = \frac{9 \times 3}{5}$$

$$EG = 5.4 \text{ cm}$$

Ex 18: The lines \overleftrightarrow{GH} and \overleftrightarrow{EI} intersect at F, and the lines \overleftrightarrow{GE} and \overleftrightarrow{HI} are parallel. Given FG=3.5 cm, FE=4.2 cm, EG=1.5 cm, and HI=7.5 cm:



Calculate the lengths FI and FH. Justify.

Answer:

- 1. Since the lines \overrightarrow{GH} and \overrightarrow{EI} intersect at F, and $\overrightarrow{GE} \parallel \overrightarrow{HI}$, by Thales's theorem, triangles $\triangle FGE$ and $\triangle FHI$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{FH}{FG} = \frac{FI}{FE} = \frac{HI}{EG}$$
 $\frac{FH}{3.5} = \frac{FI}{4.2} = \frac{7.5}{1.5}$

• For FI:


$$\frac{FI}{4.2} = \frac{7.5}{1.5}$$

$$FI = 4.2 \times \frac{7.5}{1.5}$$


$$FI = 21 \text{ cm}$$

• For FH:

$$\begin{split} \frac{FH}{3.5} &= \frac{7.5}{1.5} \\ FH &= 3.5 \times \frac{7.5}{1.5} \\ FH &= 17.5 \, \mathrm{cm} \end{split}$$



Ex 19: The lines \overrightarrow{JK} and \overrightarrow{LM} intersect at N, and the lines \overrightarrow{JL} and \overrightarrow{KM} are parallel. Given JN=3 cm, NK=5 cm, LM=7 cm, and KM=9 cm:



Calculate the lengths NL and LJ. Justify.

Answer

- 1. Since the lines \overrightarrow{JK} and \overrightarrow{LM} intersect at N, and $\overrightarrow{JL} \parallel \overrightarrow{KM}$, by Thales's theorem, triangles $\triangle NJL$ and $\triangle NKM$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{NK}{NJ} = \frac{NM}{NL} = \frac{KM}{LJ}$$
$$\frac{5}{3} = \frac{7}{NL} = \frac{9}{LJ}$$

• For NL:

$$\frac{7}{NL} = \frac{5}{3}$$

$$\frac{NL \times 5}{1} = \frac{7 \times 3}{5}$$
 (cross multiplication)
$$\frac{NL}{1} = \frac{7 \times 3}{5}$$

$$\frac{NL}{1} = 4.2 \text{ cm}$$

• For LJ:

$$\frac{9}{LJ} = \frac{5}{3}$$

$$LJ \times 5 = 9 \times 3 \quad \text{(cross multiplication)}$$

$$LJ = \frac{9 \times 3}{5}$$

$$LJ = 5.4 \text{ cm}$$

Ex 20: A folding stool is modeled geometrically with segments \overline{CB} and \overline{AD} for the metal frame and segment \overline{CD} for the fabric seat. Given CG = DG = 30 cm, AG = BG = 45 cm, and AB = 51 cm, and knowing that the seat \overline{CD} is parallel to the ground represented by \overline{AB} :

Calculate the length of the seat CD. Justify.

Answer:

- 1. Since the lines \overrightarrow{AD} and \overrightarrow{BC} intersect at G, and $\overrightarrow{AB} \parallel \overrightarrow{CD}$, by Thales's theorem, triangles $\triangle GAB$ and $\triangle GCD$ are similar.
- 2. The ratios of corresponding sides are equal:

$$\frac{GD}{GA} = \frac{GC}{GB} = \frac{CD}{AB}$$
$$\frac{30}{45} = \frac{30}{45} = \frac{CD}{51}$$
$$CD = \frac{51 \times 30}{45}$$
$$CD = 34 \text{ cm}$$

The length of the seat is 34 cm.